



# AR SHUTTLE

SEMI-AUTOMATED SOLUTION  
FOR HIGH-DENSITY PALLET  
STORAGE



# AR SHUTTLE

## A SEMI-AUTOMATED SOLUTION FOR HIGH-DENSITY PALLET STORAGE

AR SHUTTLE is a compact semi-automated pallet storage solution using self-powered shuttle carts which operate independently to move the pallets in the rack.


Main advantages include:

The AR SHUTTLE system enables you to maximize floor space and height available by minimizing the operating aisles needed for trucks.

Since forklift operators do not have to enter the aisles, maximum safety is guaranteed when handling pallets, avoiding collisions in the rack structure. This reduces maintenance costs as well as the number of issues from handling loads.

The AR SHUTTLE system allows for automatic control of inventory by using sensors to count the number of pallets stored. Remote control and bar codes help better control the stock, drastically decreasing error margins.

With the AR SHUTTLE system, stored pallets can be loaded and unloaded as FIFO or LIFO, even in freezing chambers up to -30°C.



## HOW DOES IT WORK?

Designed for high-turnover storage, this solution enables automatically loading and retrieving pallets continuously by using a remote controlled system. Unit loads are either placed on the first available location until the rack is fully loaded, or retrieved from their storage locations and moved to the front ready to be picked by a forklift truck, until the rack is fully unloaded.

- AR SHUTTLE is positioned in the lane required with a fork lift truck. The pallets are stocked one by one by the fork lift truck at the beginning of the lane.
- AR SHUTTLE lifts up the platform and moves it along the channel until it reaches the first free position, where it puts the pallets. Then, it comes back to the beginning of the lane ready for the next drive cycle.
- Before putting the last pallets into the lane, AR SHUTTLE must be removed and put in a new lane.



### REMOTE CONTROL:

- Each remote control unit can control up to 4 AR SHUTTLES.
- Pallet count command.
- Onscreen messages for machine maintenance.

## AR SHUTTLE IS SUITABLE FOR:


- ▶ Warehouses for finished product / semi-finished / raw materials (homogeneous products)
- ▶ Buffer for shipping (ready loads)
- ▶ Buffer interpretational (decoupling between different manufacturing process)
- ▶ Buffer for process (Temporary parking of products before their end machining/ finishing)

The pallets can be stored and retrieved according to two different storage orders:

### LIFO (Last-in-First-out)

This is the most common system, where the pallets are put in and taken off from the same side.


The lanes should be completely emptied before putting in a new load.



### FIFO (First-in-First-out)

This system is ideal for buffering units or transit warehouses, where incoming and outgoing operations are performed from opposite sides.



When the lane is not completely emptied, FAST relocates the pallets by bringing them closer to the exit position, allowing new loads to be placed on the rack.



Depending on the required functions, AR SHUTTLE will be equipped with the following elements:

STANDARD FEATURES	STANDARD EQUIPMENT
Single Deposit	On board lithium battery
Auto Deposit	Battery charger
Single Retrieve	Remote control + charger
Auto Retrieve	User manual
Auto Retrieve by quantity	
LIFO Shuttle	
FIFO Shuttle	
Stock counter	

OPTIONAL EQUIPMENT
Multi pallets
Spare parts
Freezer version







AR SHUTTLE



AR DRIVE IN



AR LS



MULTI TIER




AUTOMATED WAREHOUSE



MOBILE BASES



LIVE STORAGE



CLAD RACK BUILDING



AR PAL

## AR RACKING



### ► Head office and Technological Centre:

Parque Tecnológico de Bizkaia  
Edificio 105 - 1A  
48170 Zamudio (Bizkaia) Spain  
Tel. +34 944 317 941  
Fax +34 944 317 838

### ► Production centre and main warehouse:

Pol. Ind. Montes de Cierzo,  
Ctra. N-232, KM 86  
31500 Tudela (Navarra) Spain  
Tel. +34 948 844 480  
Fax +34 948 844 420

### ► AR UK:

1 Bell street  
Maidenhead, Berkshire  
SL6 1BU  
Tel. +44 (0) 1628 421 825  
Fax +44 (0) 1628 421 500  
www.ar-racking.co.uk

### ► AR France:

43, rue Jean-Pierre Plicque  
77124 Villenoy - Paris  
Tel. +33 973 188 434  
Fax +33 957 444 320  
www.ar-racking.fr

### ► AR Chile:

Calle Puerto Madero 9710  
Piso 3º, Oficina A-379  
Pudahuel, Santiago de Chile  
Tels. +(56 2) 2955 8588  
+(56 2) 2955 8328  
www.ar-racking.cl

### ► AR Colombia:

Km 19 Av. Troncal de Occidente  
vía Mosquera-Madrid, Bod. 50  
Parque Industrial San Jorge  
Mosquera, Colombia  
www.ar-racking.co

Authorized Distributors: